

ATTACHMENTS WONDER-BOY RIDERS

| | PAGE |
|---------------------------------------------------|------|
| LAWN ROLLER – MFR. NO. 990091 | 1 |
| 32" ROTARY MOWER – MFR. NO. 153 | 2 |
| 24" ROTARY MOWER – MFR. NO. 236 | 3 |
| 24" ROTARY MOWER - F/575 & 450 WONDER-BOYS | 4 |
| 30" SNOW PLOW & GRADER BLADE – MFR. NO. 990248 | 5 |
| 36" SNOW PLOW & GRADER BLADE – MFR. NO. 990248 | 5 |
| 30" & 36" SNOW PLOW & GRADER BLADE FOR | |
| EARLY WONDER-BOY RIDERS | 5 |
| 30" REEL MOWERS – MFR. NO. 990183 | 6 |
| LEAF MULCHER F/24" ROTARY MOWER — MFR. NO. 990264 | 6 |
| GANG MOWERS – MFR. NO. 990123 | 7 |
| ELECTRIC STARTER – MFR. NO. 152 | 8 |

SIMPLICITY MANUFACTURING COMPANY, INC.


PRINTED IN U.S.A.

| 8161045 102034 102007 102043 | Flat Washer %" Pin Tongue Scraper Pivot Pin Spring ired For Roller!— Spring Clip Nylon Bushing Bearing Retainer Extension Pin |
|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| 8011204 102037 102042 102004 8011158 | Pin Tongue Scraper Pivot Pin Spring ired For Roller!— Spring Clip Nylon Bushing Bearing Retainer |
| 102037 102042 102004 8011158 — Not Requ 8161045 102034 102007 102043 | Tongue Scraper Pivot Pin Spring ired For Roller!— Spring Clip Nylon Bushing Bearing Retainer |
| 102042 102004 8011158 | Scraper Pivot Pin Spring ired For Roller! — Spring Clip Nylon Bushing Bearing Retainer |
| 102004 8011158 | Pivot Pin Spring ired For Roller!— Spring Clip Nylon Bushing Bearing Retainer |
| 8011158 Not Requ 8161045 102034 102007 102043 | Spring ired For Roller!— Spring Clip Nylon Bushing Bearing Retainer |
| Not Requ 8161045 102034 102007 102043 | ired For Roller!—— Spring Clip Nylon Bushing Bearing Retainer |
| 8161045 102034 102007 102043 | Spring Clip Nylon Bushing Bearing Retainer |
| 102034 102007 102043 | Nylon Bushing Bearing Retainer |
| 102007 102043 | Bearing Retainer |
| ľ | 1 |
| 100005 | [Pyreligion i in |
| 102035 | Frame Assembly |
| 102001 | Lawn Roller |
| 722004 | Cotter Pin, 1/8 x 1½" |
| 8161045 | Spring Clip |
| 8011117 | Pin |
| 705003 | Hex Capscrew, 3/8-16 x 21/4 |
| 720002 | Lockwasher, 3/8" |
| 717003 | Hex Nut, 3/8-16 |
| | 8161045 8011117 705003 720002 |

32" ROTARY MOWER MFR. NO. 153 FOR MODEL 600 WONDERBOY

PARTS LIST FOR 32" ROTARY MOWER

Order by Part Number




| Ref. Letter | Part No. | Description |
|----------------|-------------------|-------------------------------------------------------|
| A B | 108152 714007 | Cover, Housing Screw, Self-Tapping, Hex Hd., |
| Ç | 108151 | 1/4-20x3/6 V-Belt, Mower Spindle Drive |
| D E | 108155 100028 | Lever, Front Pin |
| F | 8161045 | Clip, Spring |
| G | 108158 | Pin, Clevis |
| H | 722001 108157 | Pin, Cotter-3/32x¾ |
| J K | 108156 | Clevis, Adj. Rod, Height Adj. |
| L | 108153 | Bracket, Front, R.H. |
| M | 108154 | Bracket, Front, L.H. |
| N P | 705005 8171045 | Capscrew, Hex Hd., %-16x1 Bushing |
| Q | 719001 | Washer, Plain, % |
| R | 720002 | Washer, Lock, % |
| S T | 717003 108147 | Nut, Full Hex, %-16 Housing |
| U | 108160 | Lever, Assy., Rear |
| V. | 108163 | Bracket, Roller, L.H. |
| W X | 108256 108178 | Bar Assy., Roller Roller |
| Ŷ | 116001 | Washer |
| Z_ | 8261055 | Washer |
| AA AB | 108254 722011 | Bar & Shaft Assy. |
| AC | 108169 | Pin, Cotter Screw, Assy. Adj. |
| AD | 719001 | Washer, Plain |
| AE AF | 108166 | Socket, Assy. Crank |
| AG AG | 108172 108159 | Pivot Bracket, Roller, R.H. |
| AH | 719002 | Washer, Plain, 5/16 |
| AJ | 717510 | Nut, Hex, Full Lock, % |
| AK AL | 108187 108186 | Baffle Clip, Baffle |
| AM | 703002 | Bolt, Carriage, %-16x1 |
| AN | 108150 | Washer |
| AP AQ | 719002 108149 | Washer, Plain, 5/16 Pulley Idler |
| AR | 8171045 | Spacer |
| AS | 717510 | Nut, Hex, Full Lock, %-16 |
| AT AU | 108175 717517 | V-Belt, Cross Drive Nut, Hex Jam, Center Lock %-16 |
| AV | 108246 | Pulley, Cross Drive |
| AW | 725006 | Woodruff Key, 3/16x54, #61 |
| AX AY | 108145 108142 | Spacer Pulley |
| AZ | 108181 | Washer |
| BA | 108139 | Flinger |
| BB BC | 108202 108134 | Bearing Ring, Backing |
| BD | 108203 | Tube Assy., Arbor |
| BE | 726001 | Plug |
| BF BG | 108181 108193 | Washer Deflector |
| BH | 108251 | Arbor Assy., Drive |
| BJ | 108297 | Blade |
| BK BL | 715024 720002 | Screw Washer |
| BM | 108250 | Arbor Assy. |
| BN | 108201 | Spacer |
| BU BV | 108257 722011 | Washer Cotter Pin |
| | | |

24" ROTARY MOWER MFR. NO. 236 FOR MODEL 400 WONDERBOY

PARTS LIST FOR 24" ROTARY MOWER Model 400

___Order by Part Number




| Order by Part Number | | |
|----------------------|------------------|--------------------------------------------------|
| Rei. Letter | Part No. | Description |
| A | 108203 | Tube Assembly, Arbor |
| В | 726001 | Pipe Plug, 1/6 |
| C | 108268 | Arbor Assembly |
| Ď | 108181 | Washer |
| E | 108257 | Washer |
| F | 108202 | Bearing, Ball |
| G H | 108201 108145 | Spacer Spacer |
| ĵ | 108134 | Backing Ring |
| ĸ | 108246 | Pulley |
| Ĺ | 725006 | Woodruff, Key, 3/16x % Dia. |
| M | 713504 | Set Screw, Socket Head, |
| | | 5/16-18 NCx% lg. |
| N | 717517 | Nut, Hex, Jam, Lock, 34-16 NF |
| P | 108276 | Knife Blade |
| Õ | 715030 | Capscrew, Hex Hd |
| R | 720002 | Washer, Lock, % |
| S T | 108269 705004 | Housing Capscrew, Hex Hd., |
| • | ,00004 | %-16 NCx¾ lg. |
| U | 720002 | Washer, Lock, % |
| v | 717003 | Nut, Hex, Full, %-16 NC |
| W | 718009 | Nut, Tinnerman |
| X | 714006 | Screw, Self Tap. #10x1/2 lg. |
| Y | 108275 | Pulley Guard |
| Z | 108104 | Cover, Guard |
| AA | 717003 | Nut, Hex, Full, %-16 NC |
| AB AC | 720002 | Washer, Lock, % |
| AD | 719001 703004 | Washer, Plain, % Bolt, Carriage, %-16 NCx¼ lg. |
| AE | 108271 | Lever, Front, R.H. |
| AF | 108272 | Lever, Front, L.H. |
| AG | 8171045 | Bushing |
| AH | 705005 | Capscrew, Hex Hd., %-16 NCx1 lg. |
| AJ | 719001 | Washer, Plain, 3/8 |
| AK | 720002 | Washer, Lock, % |
| AL AM | 717003 | Nut, Hex, Full, %-16 NC |
| AN | 108157 715042 | Clevis, Adjusting Capscrew, Hex Hd., %-16x14 |
| AP | 717510 | Nut, Hex, Full Lock, %-16 NC |
| AQ | 108286 | Rod, Height Adjusting |
| AR | 722001 | Pin, Cotter, 3/32x3/4 lg. |
| AS | 108270 | Roller Bracket |
| AT | 705017 | Capscrew, Hex Hd., |
| *** | 700001 | 5/16-18 NCx¾ lg. |
| AU | 720001 717001 | Washer, Lock, 5/16 Nut, Hex, Full, 5/16-18 NC |
| AW | 719002 | Washer, Plain |
| AX | 108283 | Lever Assembly, Rear |
| AY | 108278 | Bar Assembly, Roller |
| AZ | 108277 | Bar & Shait Assembly, Roller |
| BA | 719001 | Washer, Plain, % |
| BB | 717510 | Nut, Hex, Full Lock, %-16 NC |
| BC BD | 108178 116001 | Roller |
| BE | 722011 | Washer Pin, Cotter, 3/16x1 lg. |
| BF | 705005 | Capscrew, Hex, Hd., %-16 NCx1 lg. |
| BG | 717003 | Nut, Hex, Full, %-16 NC |
| BH | 108287 | Socket Assembly, Crank |
| BJ | 108169 | Screw Assembly, Adjusting |
| BK | 719001 | Washer, Plain, % |
| BL BM | 108172 | Pivot |
| BN | 722001 100028 | Pin, Cotter Pin |
| BP | 8161045 | Clip, Spring |
| BQ | 108099 | V-Belt |
| BR | 108274 | Bracket, Front, L.H. |
| BS | 108273 | Bracket, Front. R.H. |
| BT | 717005 | Nut, Full Hex, ¼-20 |
| BU | 705002 721002 | Screw, Hex Hd. Cap, 1/4-20x1/2" Washer, Lock |
| BW | 108353 | Deflector |
| | | |

PRINTED IN U.S.A.

24" ROTARY MOWER FOR MODELS 575 & 450 WONDERBOYS

24" ROTARY LAWN MOWER


-Order by Part Number



LEAF MULCHER FOR 24" ROTARY LAWN MOWER

| BS BT | 108062 706001 | Ring Assembly Screw, Hex Hd. Cap, 5/16-24x34" | 4 | * |
|----------|------------------|--------------------------------------------------|---|---|
| BU BV | 717503 108073 | Nut, "Huglock", 5/16-24 | | * |
| BW | 108073 | Plate, Baffle Bracket | 2 | 4 |
| BX | 706002 | Screw, Hex Hd. Cap. 5/16-24x1/2" | | * |
| BY | 108069 | Blade, Knife | 4 | |

Purchase Locally



30" SNOW PLOW & GRADER BLADE MFR. NO. 990248

36" SNOW PLOW & GRADER BLADE MFR. NO. 990248 FOR WONDERBOY RIDERS

Order By Part Number

| | <u> </u> | | |
|-------------|------------------|--------------------------------------------|--|
| Ref. No. | Part No. | Description | |
| A | 107018 107033 | Blade Assembly, 30" Blade Assembly, 36" | |
| В | 107033 | Shoe Assembly | |
| Ċ | 703003 | Carriage Bolt, 3/8-16 x 1 | |
| D | 720002 | Lock Washer, 3/8" | |
| E | 717003 | Hex Nut, Full, 3/8-16 | |
| F | 107063 | Pivot Pin (Vertical) | |
| G | 722014 | Cotter Pin, 5/32" x 1" | |
| H | 8181003 | Pivot Pin | |
| J | 107020 | Pivot Pin, (Horizontal) | |
| K | 8161045 | Spring Clip | |
| L | 722015 | Cotter Pin, 5/32" x 1" | |
| M | 107012 | Push Bar Assembly | |


| Ref. | Part No. | Description |
|--------------------------------------|---------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| N P Q R S T U V | 107064 107068 705016 720002 717003 107031 153058 8161045 702002 720002 | Rlade Hitch Assembly Foot Lever Assembly Capscrew, Hex, 3/8-16 x 1 1/4 Lock Washer, 3/8" Hex Nut, Full, 3/8-16 Foot Lever Chain Lock Pin Spring Clip Carriage Bolt, 3/8-16 x 1" Lock Washer, 3/8" |
| Z | 717003 705016 | Hex Nut; Full, 3/8-16 Capscrew, Hex, 3/8-16 x 1 1/4 |

Order By Part Number


SNOW PLOW & GRADER BLADES FOR EARLY WONDERBOY RIDERS

Order by Part Number

| Item | Part | Description | Ship. | Wt. |
|----------------------------|-----------------|----------------------------------|--------|--------|
| No. | No. | 2 coorpilor | Lbs. | Oz. |
| 1 | ∫ 107033 | Blade Assembly-36" | 40 | |
| 1 - | l 107018 | Blade Assembly—30" | 32 | |
| 2 | 107012 | Push Bar Assembly | 7 | |
| 2 3 4 5 6 7 | 8181003 | Pin | i | 4 |
| 4 | 107021 | Handle | 1 5 | |
| 5 | 107022 | Handle Grip | | 6 |
| 6 | 107035 | Hitch Assembly Blade | 7 | |
| 7 | 107020 | Pin, Pivot | | 12 |
| 8 9 | 8161045 | Clip, Spring | | |
| 9 | 107031 | Chain, Foot Lever | | 2 6 |
| 10 | 153058 | Pin, Lock | | 3 |
| 11 | 107028 | Lever Assembly, Foot | 5 | 8 |
| 12 | 8021076 | Grip | | 8 |
| 13 | 107024 | Shoe Assembly | 3 | |
| 14 | 715009 | Screw, Hex Hd., Cap, %-24x43/4 | ٠ | * |
| 15 | 722015 | Pin, Cotter, 5/32" dia. x 1" lg. | 1 | * |
| 16 | 719001 | Washer, Plain, %" | | * |
| 17 | 702002 | Bolt, Carriage, %-16x1" | | * |
| 18 | 705016 | Screw, Hex Hd. Cap, %-16x14" | | * |




30" REEL MOWER MFR. NO. 990183 FOR WONDERBOY RIDERS




| Ref. | | | Weight | |
|----------|-------------------|---------------------------------------------------|--------|-----|
| Letter | No. | Γ | Lbs. | Oz. |
| ٨ | 109061 | V-Belt, Cross Drive, 28" Long | 1 | |
| B | 109040 | Hitch Assembly | 9 | 8 |
| C | 109077 | Pin, Pivot | 2 | |
| Ð | 109080 | Pivot Bracket Assembly | 6 | |
| Ε | 105047 | Capscrew, Hex Head | | |
| P | 717519 | Locknut, Hex | | |
| G H | 8211005 713006 | Set Collar Setscrew | | 3 |
| ï | /13006 | Capscrew, 5/16-18 x 5/8 | | |
| Ŕ | 720001 | Washer, Lock, 5/16" | | |
| Ĺ | 717003 | Nut, Pull Hex, 5/16-18 | | |
| М | 100028 | Pin | } | 4 |
| N | 8161045 | Spring Clip | - 1 | 2 |
| P | 109056 | Housing and Bearing Assembly | 2 | 6 |
| 0 | 8261052 | Bushing | | 3 |
| R B | 1792 109046 | Grease Fitting | 2 | 6 |
| Ŧ | 717006 | Housing Assembly Nut, Full Hex, 1/2-13 | • | |
| ซ้ | 1 77,000 | Washer, Plain 1/2" | | |
| V | 109051 | Pulley Shaft | 2 | В |
| W | 725003 | Woodruff Key, 3/16* x 3/4, 49 | | i |
| X | 153079 | Washer | . 1 | |
| Y | 109079 | Pulley, Cross Drive | 3 | _ |
| Z AA | 108056 | Pulley | 1 | 8 |
| AB | 109006 | Setscrew, 5/16-18 x 3/8 Deak-30* | 8 | |
| AC | 109057 | Bar | 2 | 6 |
| AD | 10000 | Capscrew, Hex Hd, 3/8-16 x 2 1/2 | | • |
| AE | 1 | Lockwasher, 3/8" | | |
| AP | 717003 | Nut, Pull Hex, 3/6-16 | | |
| AG | 109066 | Guard, Belt | 2 | |
| HA | 8061069 | Spacer, Bearing | | 8 |
| AJ | 706010 | Capacrew, Hex Hd., 1/4-20 x 3/4 | 1 | |
| AK | 1 | Washar, Shakeproof, 1/4 | 1 | |
| AL | 1 | Nut, Jam, 1/4-20 | | |
| AM AN | 719002 | Nut, Full Hex., 5/16-24 | | |
| AΡ | 10652 | Washer, Plain, 5/16 Brush Bar Assembly | l e | |
| QA, | 997839 | Capacrew, Hex Hd., 5/16-24 x 5/8 | " | |
| AR | " | Bolt, Carriage, 3/8-16 x 3/4 | | |
| AS | 109067 | V-Belt, Reel Drive, 33" long | 1 1 | 10 |
| AT | 753 | Bracket, Roller | 1 | 5 |
| AU | 756 | Shaft, Roller | 2 | |
| AV | 754 | Roller | | 13 |
| AW AX | 737 757 | Washer, Roller Spacer, Roller | 1 | 1 |
| AX | 10770 | Cutting Bar & Blade Assembly | 15 | ١ ١ |
| AZ | 10515 | Real Assembly, 30" | 18 | |
| BA | 478 | Washer, Reel Bearing | 1 | 1 |
| BB | 20257 | Bearing, Ball | 1 | 3 |
| BC | 10548 | Side Frame Assembly, Right Hand | 4 | l |
| BD : | 10647 | Side Frame Assembly, Left Hand | 4 | _ ا |
| BE BF | 121124 | Pulley, Reel | 2 | 6 |
| BG BG | 4114 997855 | Cam, Adjusting Capscrew, Hex Hd., 3/8-24 x 7/8 | 1 | ľ |
| BH | 20785 | Caster Yolk Assembly | 3 | |
| BJ | 512 | Wheel, Caster, w/Bearing | 1 3 | ا ا |
| BK | 513 | Axle, Caster |) š | 1 |
| BL | 996415 | Washer | 1 | l |
| BM | 1 | Washer, Lock, 3/8 | j | İ |
| BN | 1 | Nut, Hex, 3/8-16 | 1 | l |
| BP | 1 | Screw, Fillister Hd., 1/4-20 x3/4 | 1 | l |
| BQ BR | 676 | Nut, Square, 1/4-20 Cutter Bar Blade | 2 | l |
| | | | | |

LEAF MULCHER FOR 24" ROTARY MOWERS MFR. NO. 990264

| Ref. Letter | Part No. | Description |
|----------------|----------|------------------------|
| A | 108295 | Baffle, Front |
| B | 108296 | Baffle, Side |
| C | 108357 | Baffle, Left Hand Rear |
| D | 108294 | Baffle, Rear |




GANG MOWER MFR. NO. 990123 FOR USE WITH MFR. NO. 990183




| Order | bv | Part | Numbe | r |
|-------|----|------|-------|---|

| Ref. Letter | Part No. | Description |
|------------------|-------------|-----------------------------------------------|
| A | 2615-21 | Cylinder Knife, 21" |
| B | 2641-21 | Cylinder Shaft, 21", 11/16" dia. x 261/8" lg. |
| Č | 2611-21 | Cylinder Assembly less bearings or |
| 1 | 2011, 22 | spacer |
| D | 2416-21 | Cast Back, less stationary blade 21" |
| 1 - | 2416-21SA | Cast Back, complete with blade |
| j | 2410 111011 | assembled |
| ١ . | 2413-21 | Steel Stationary Blade, 21" |
| E F | 1612 | Set Screw to regulate cast back |
| Ġ | 1044 | Oil Cup, for side plate |
| Н | 784-A | Bolt and Nut for roller bracket, 1/4"x11/6" |
| j | 1106 | Steel Pawl, %" wide (both alike) |
| ĸ | E45 | Left Hand Pinion, 11/16" hole, 11 teeth |
| Ιï | E44 | Right Hand Pinion, 11/16" hole, 11 teeth |
| й | 6811 | Nut for end of front frame shaft |
| | 1118-A-21 | Front Frame Shaft |
| N P Q S | 1118-RA-21 | Rear Frame Shaft |
| Ιō | 2641-21 | Cylinder Shaft, 21", 11/16" dia x 261/6" lg. |
| Ís | W-1321 | Spacing Washer for sectional roller |
| T | 2419-CA | Sectional Wood Roller 2-7/16" x 6-9/16" |
| | 1 | (½" hole) |
| lυ | 2437-A-21 | Roller Shaft 21" (7/16" x 22-13/16") |
| V | 1338-T | Wheel Washer, for side plate (2 lugs) |
| W | 1334-T | Wheel Bolt and Nut 5/16" x 31/4" |
| X | 1332-SL | Spring Lock Pin to attach cylinder end |
| | | to cylinder shaft |
| Y | 2430-A | Left Hand Roller bracket |
| Z | 2421-A | Right Hand Roller bracket |
| AA | | Precision Taper Cylinder Bearing |
| AB | 40259-A | Bearing Cup for side plate |
| 1 | | (less bearings) |
| AC | | Cast Back Bolt and Nut |
| AD | | Rivets for cylinder knives (1 set) |
| AE | PM-1316-R | Cylinder End (both alike) |
| L | | |

| Ref. Letter | Part No. | Description | | | | |
|------------------------------------------|------------|--------------------------------------------------------|--|--|--|--|
| AF | PM-1575-R | Cylinder Rings (all alike) | | | | |
| AG | 1148 | Steel Wheel Stud %" x 2-25/32" | | | | |
| AH | 26143 | Left Hand Side Plate with stud | | | | |
| AJ | 4488-SA | Bolt and Nut for tow bracket | | | | |
| AK | 26144 | Right Hand Side Plate with stud | | | | |
| AL | 1340 | Flat Washer for roller bracket bolt and | | | | |
| AM | 2002 | side plate towing bolt | | | | |
| AM | P87 | Machine screw for stationary blade, '4" x %" flat head | | | | |
| AN | PM-51-WW-1 | | | | | |
| AP | 2645-W-SA | Wheel with tire PM-51-WW-D assembled | | | | |
| | 2645-W | Wheel only, less tire | | | | |
| AQ | 100041 | Tongue Assembly | | | | |
| AR | 100047 | Bar, Draw Assembly, Double | | | | |
| AS | 100044 | Pivot Assembly, Draw Bar | | | | |
| AT | 100045 | Bar, Draw, Single | | | | |
| AU | 100028 | Pin, Tongue | | | | |
| AV | S1A45A | Clip, Spring | | | | |
| AW | S2EA5 | Collar, Set | | | | |
| THE FOLLOWING PARTS ARE NOT ILLUSTRATED! | | | | | | |
| 1354 Lock Washer for front frame shaft | | | | | | |
| | 1363-A | Hex Nut, 5/16", for 1334-T or 4488SA | | | | |
|] | 1904-F | Lock Washer for tow bolt and wheel bolt | | | | |
| | 1945-A | Campbell Hammerlock Cotter Pin for | | | | |
| | 0000 | roller bracket | | | | |
| | 2260 | Spacer for tow bolt | | | | |
| 2660 | | Internal Shakeproof Lock Washer for rear frame shaft | | | | |
| | 40260 | Cylinder Bearing Dust Washer (left side) | | | | |
| | 40262 | Cylinder Bearing Pressure Spring | | | | |
| 10202 | | (left side) | | | | |
| 40263 | | Cylinder Pressure Spring Cover | | | | |



ELECTRIC STARTER MFR. NO. 152 FOR WONDERBOY RIDERS



REPAIR PARTS - ELECTRIC STARTER

Order by Part Number -

| Ref. | Part | | Ship | Wt. |
|--------|---------|----------------------------------|------|-----|
| Letter | No. | Description | Lbs. | Oz. |
| A | 7 18004 | Hex Nut, Full. 1/4"-20 NC | | ** |
| В | 715010 | Capscrew, Hex Hd., 1/4-20 x 5/8 | | ** |
| С | 122004 | Cable | 2 | |
| D | 122029 | Cable Assembly | 2 | 4 |
| E | *122001 | Battery (Purchase from Bat.Mfg.) |) | |
| F | 718007 | Wing Nut, Lock, 1/4"-20 NC | | ** |
| G | 701002 | Machine Bolt, 1/4"-20 NC x 6"1 | ģ | ** |
| H | 122030 | Bracket Assembly, Battery | 1 | 6 |
| J | 710001 | Screw, Rd. Hd. Mach., | | |
| | | #10-24 x 1 1/2" lg. | | ** |
| K | 719007 | Washer, Plain, 3/16" Std. | | ** |
| L | 122024 | Clip, Cable | | 6 |
| M | 122025 | Lining, Clip | | 4 |
| N | 717023 | Hex Nut, Lock, #10-24 | | ** |
| P | 122005 | Knob, Starter | | 4 |
| Q | 122031 | Rod, Starter | ì | |
| R | 122032 | Guide Assembly, Rod | ì | |
| T | 122067 | Set Collar | | ** |
| U | 122038 | Pulley, Engine | 3 | |
| V | 122023 | Cover, Terminal | | 4 |
| w | 717011 | Hex Nut, Jam, 5/16"-18 NC | | ** |
| Х | 122009 | Insulator | | 5 |

| | Ref. | Part | | Ship Wt. | |
|---|--------|--------|----------------------------------------|----------|-----|
| | Letter | No. | | Lbs. | Oz. |
| | Y | 719002 | Washer, Plain, 5/16" Std. | | ** |
| | Z | 122013 | Spacer | | 4 |
| | - AA | 122015 | Spring | | 2 |
| | AB | 122010 | Body, Switch | | 8 |
| | AC | 717511 | Nut, Hex, Full Lock, 5/16"-18 | | ** |
| | AD | 122012 | Bolt, Contact | | 5 |
| | AE | 122011 | Plug, Switch Body | 1 | |
| | AF | 122014 | Contact | | 2 |
| | AG | 122019 | Strap, Motor Support | | 4 |
| | AH | 722013 | Pin, Cotter | | ** |
| | AJ | 715003 | Socket Screw, 1/4"-20 NC x 3/4 | | ** |
| | AK | 122034 | Lever Assembly, Belt Tension | 2 | |
| | AL | 122064 | Spring | | 8 |
| | AM | 122026 | Motor, Starter, (see note) | 10 | 8 |
| ı | AN | 713501 | Screw, Hex. Socket Cup Point | | |
| | | | Set, $5/16$ "-18 NC x $1/2$ " lg. | | ** |
| ١ | AP | 122020 | Pulley, Motor | 1 1 | |
| | AQ | 713505 | Screw, Hex. Socket Cup Point | | |
| | | | Set, $1/4-20 \text{ NC x } 5/16$ " lg. | | ** |
| | AR | 122039 | "V" Belt, Starter 24" lg. Cog typ | e 2 | 4 |
| | AS | 122061 | Belt Stop Assembly | | |
| ı | | | | L | |

NOTE: Purchase parts for 122026 Starter Motor from United Motor Service !

* SIMPLICITY does not stock replacement batteries. Obtain locally or
from Wisco Division, 1222 18th St., Racine, Wis.

^{**} Purchase locally.